

## CERTIFICATE OF ANALYSIS

VIAL CONTENTS: Endosafe® Control Standard Endotoxin is prepared from E. coli strain 055:B5. Each vial contains 10 ng of purified Lipopolysaccharide, freeze dried in a stabilized matrix. RSE/CSE RATIO: The potency of this standard in Endotoxin units, (EU) has been determined to be EU/ng. For Gel-clot Technique. EX14952 CSE Lot: Apr 2024 CSE Exp. Date: N2572X Sep 2024 LAL Reagent Lot: LAL Exp. Date: H0K354 26 RSE Lot: RSE/CSE Ratio: -EU/ng Vial contents: EU/viai 0.25 Geometric Mean Sensitivity with RSE: EU/mL IS/CSE RATIO: The Expert Committee on Biological Standardization of WHO has assigned a potency of the IS as 10,000 IU per vial of IS, so that 1 IU = 1 EU. The potency of this endotoxin standard in International (Endotoxin) Units, IU, has been designated as \_\_\_\_ **DIRECTIONS FOR USE:** Reconstitute the lyophilized material with 6.5 mL of LAL reagent grade water to obtain 40 EU/mL or 40 IU/mL. Vortex mix vigorously for at least 5 minutes after rehydration, and for at least 1 minute immediately prior to each use. STORAGE: Store rehydrated material at 2-8°C for up to 4 weeks. Store lyophilized material at controlled room temperature or refrigerated as preferred. Diluted endotoxin should not be stored except under validated conditions. **CAUTION: DO NOT FREEZE ENDOTOXIN SOLUTIONS**