The user of this document is responsible to confirm that the Certificate matches the product of interest.



## **CERTIFICATE OF ANALYSIS**

VIAL CONTENTS: Endosafe® Control Standard Endotoxin is prepared from E. coli strain 055:B5. Each vial contains 10 ng of purified Lipopolysaccharide, freeze dried in a stabilized matrix. RSE/CSE RATIO: The potency of this standard in Endotoxin units, (EU) has been determined to be \_EU/ng by the method formerly described in Appendix C (Gel-clot Technique) of the GUIDELINE ON VALIDATION OF THE LIMULUS AMEBOCYTE LYSATE TEST AS AN END PRODUCT ENDOTOXIN TEST FOR HUMAN AND ANIMAL PARENTERAL DRUGS, BIOLOGICAL PRODUCTS, AND MEDICAL DEVICES, published by the U.S. Food and Drug Administration. EX03492 CSE Exp. Date: CSE Lot: Dec 2023 M3303L \_ LAL Exp. Date: May 2024 H0K354 20 RSE Lot: RSE/CSE Ratio: EU/ng Vial contents: 200 0.03 Geometric Mean Sensitivity with RSE: EU/mL IS/CSE RATIO: The Expert Committee on Biological Standardization of WHO has assigned a potency of the IS as 10,000 IU per vial of IS, so that 1 IU = 1 EU. The potency of this endotoxin standard in International (Endotoxin) Units, IU, has been designated as \_\_\_\_\_\_IU/ng. **DIRECTIONS FOR USE:** Reconstitute the lyophilized material with \_ mL of LAL reagent grade water to obtain \_\_\_40 \_\_EU/mL or \_\_40 \_\_IU/mL. Vortex mix vigorously for at least 5 minutes after rehydration, and for at least 1 minute immediately prior to each use. STORAGE: Store rehydrated material at 2-8°C for up to 4 weeks. Store lyophilized material at controlled room temperature or refrigerated as preferred. Diluted endotoxin should not be stored except under validated conditions. CAUTION: DO NOT FREEZE ENDOTOXIN SOLUTIONS Prepared By: Jale

Quality Reviewed By: Quality Reviewed By: